

SSUCP SERIES



Product Number	Housing Number	Bearing Number	Shaft Size	H	L	J	Basic Load Ratings Cr	Basic Load Ratings Cor	Material	Precision	ISO 9001	Rohs	Clearance
Ssucp210 32	SSP210	SSUC210-32	2 in	57.2 mm 2-1/4 in	206 mm 8-1/8 in	159 mm 6-1/4 in	29.8 kN 6699 lbf	18.6 kN 4181 lbf	Stainless	P0	YES	YES	Standard
Ssucp210	SSP210	SSUC210	50 mm	57.2 mm 2-1/4 in	206 mm 8-1/8 in	159 mm 6-1/4 in	29.8 kN 6699 lbf	18.6 kN 4181 lbf	Stainless	P0	YES	YES	Standard
Ssucp210 31	SSP210	SSUC210-31	1-15/16 in	57.2 mm 2-1/4 in	206 mm 8-1/8 in	159 mm 6-1/4 in	29.8 kN 6699 lbf	18.6 kN 4181 lbf	Stainless	P0	YES	YES	Standard
Ssucp210 30	SSP210	SSUC210-30	1-7/8 in	57.2 mm 2-1/4 in	206 mm 8-1/8 in	159 mm 6-1/4 in	29.8 kN 6699 lbf	18.6 kN 4181 lbf	Stainless	P0	YES	YES	Standard
Ssucp210 29	SSP210	SSUC210-29	1-13/16 in	57.2 mm 2-1/4 in	206 mm 8-1/8 in	159 mm 6-1/4 in	29.8 kN 6699 lbf	18.6 kN 4181 lbf	Stainless	P0	YES	YES	Standard
Ssucp209	SSP209	SSUC209	45 mm	54 mm 2-1/8 in	190 mm 7-15/32 in	146 mm 5-3/4 in	27.8 kN 6250 lbf	16.2 kN 3642 lbf	Stainless	P0	YES	YES	Standard
Ssucp209 28	SSP209	SSUC209-28	1-3/4 in	54 mm 2-1/8 in	190 mm 7-15/32 in	146 mm 5-3/4 in	27.8 kN 6250 lbf	16.2 kN 3642 lbf	Stainless	P0	YES	YES	Standard
Ssucp209 27	SSP209	SSUC209-27	1-11/16 in	54 mm 2-1/8 in	190 mm 7-15/32 in	146 mm 5-3/4 in	27.8 kN 6250 lbf	16.2 kN 3642 lbf	Stainless	P0	YES	YES	Standard
Ssucp209 26	SSP209	SSUC209-26	1-5/8 in	54 mm 2-1/8 in	190 mm 7-15/32 in	146 mm 5-3/4 in	27.8 kN 6250 lbf	16.2 kN 3642 lbf	Stainless	P0	YES	YES	Standard
Ssucp208	SSP208	SSUC208	40 mm	49.2 mm 1-15/16 in	184 mm 7-1/4 in	137 mm 5-13/32 in	24.8 kN 5575 lbf	14.3 kN 3215 lbf	Stainless	P0	YES	YES	Standard
Ssucp208 25	SSP208	SSUC208-25	1-9/16 in	49.2 mm 1-15/16 in	184 mm 7-1/4 in	137 mm 5-13/32 in	24.8 kN 5575 lbf	14.3 kN 3215 lbf	Stainless	P0	YES	YES	Standard

SSUCP SERIES

Ssucp208 24	SSP208	SSUC208-24	1-1/2 in	49.2 mm 1-15/16 in	184 mm 7-1/4 in	137 mm 5-13/32 in	24.8 kN 5575 lbf	14.3 kN 3215 lbf	Stainless	P0	YES	YES	Standard
Ssucp207 23	SSP207	SSUC207-23	1-7/16 in	47.6 mm 1-7/8 in	167 mm 6-9/16 in	127 mm 5 in	21.8 kN 4901 lbf	12.3 kN 2765 lbf	Stainless	P0	YES	YES	Standard
Ssucp207	SSP207	SSUC207	35 mm	47.6 mm 1-7/8 in	167 mm 6-9/16 in	127 mm 5 in	21.8 kN 4901 lbf	12.3 kN 2765 lbf	Stainless	P0	YES	YES	Standard
Ssucp207 22	SSP207	SSUC207-22	1-3/8 in	47.6 mm 1-7/8 in	167 mm 6-9/16 in	127 mm 5 in	21.8 kN 4901 lbf	12.3 kN 2765 lbf	Stainless	P0	YES	YES	Standard
Ssucp207 21	SSP207	SSUC207-21	1-5/16 in	47.6 mm 1-7/8 in	167 mm 6-9/16 in	127 mm 5 in	21.8 kN 4901 lbf	12.3 kN 2765 lbf	Stainless	P0	YES	YES	Standard
Ssucp207 20	SSP207	SSUC207-20	1-1/4 in	47.6 mm 1-7/8 in	167 mm 6-9/16 in	127 mm 5 in	21.8 kN 4901 lbf	12.3 kN 2765 lbf	Stainless	P0	YES	YES	Standard
Ssucp206 20	SSP206	SSUC206-20	1-1/4 in	42.9 mm 1-11/16 in	165 mm 6-1/2 in	121 mm 4-3/4 in	16.5 kN 3709 lbf	9.05 kN 2035 lbf	Stainless	P0	YES	YES	Standard
Ssucp206 19	SSP206	SSUC206-19	1-3/16 in	42.9 mm 1-11/16 in	165 mm 6-1/2 in	121 mm 4-3/4 in	16.5 kN 3709 lbf	9.05 kN 2035 lbf	Stainless	P0	YES	YES	Standard
Ssucp206	SSP206	SSUC206	30 mm	42.9 mm 1-11/16 in	165 mm 6-1/2 in	121 mm 4-3/4 in	16.5 kN 3709 lbf	9.05 kN 2035 lbf	Stainless	P0	YES	YES	Standard
Ssucp206 18	SSP206	SSUC206-18	1-1/8 in	42.9 mm 1-11/16 in	165 mm 6-1/2 in	121 mm 4-3/4 in	16.5 kN 3709 lbf	9.05 kN 2035 lbf	Stainless	P0	YES	YES	Standard
Ssucp206 17	SSP206	SSUC206-17	1-1/16 in	42.9 mm 1-11/16 in	165 mm 6-1/2 in	121 mm 4-3/4 in	16.5 kN 3709 lbf	9.05 kN 2035 lbf	Stainless	P0	YES	YES	Standard
Ssucp205 16	SSP205	SSUC205-16	1 in	36.5 mm 1-7/16 in	140 mm 5-1/2 in	105 mm 4-1/8 in	11.9 kN 2675 lbf	6.3 kN 1416 lbf	Stainless	P0	YES	YES	Standard
Ssucp205	SSP205	SSUC205	25 mm	36.5 mm 1-7/16 in	140 mm 5-1/2 in	105 mm 4-1/8 in	11.9 kN 2675 lbf	6.3 kN 1416 lbf	Stainless	P0	YES	YES	Standard
Ssucp205 15	SSP205	SSUC205-15	15/16 in	36.5 mm 1-7/16 in	140 mm 5-1/2 in	105 mm 4-1/8 in	11.9 kN 2675 lbf	6.3 kN 1416 lbf	Stainless	P0	YES	YES	Standard
Ssucp205 14	SSP205	SSUC205-14	7/8 in	36.5 mm 1-7/16 in	140 mm 5-1/2 in	105 mm 4-1/8 in	11.9 kN 2675 lbf	6.3 kN 1416 lbf	Stainless	P0	YES	YES	Standard
Ssucp205 13	SSP205	SSUC205-13	13/16 in	36.5 mm 1-7/16 in	140 mm 5-1/2 in	105 mm 4-1/8 in	11.9 kN 2675 lbf	6.3 kN 1416 lbf	Stainless	P0	YES	YES	Standard
Ssucp204 12	SSP204	SSUC204-12	3/4 in	33.3 mm 1-5/16 in	127 mm 5 in	95 mm 3-3/4 in	10.9 kN 2450 lbf	5.35 kN 1203 lbf	Stainless	P0	YES	YES	Standard

SSUCP SERIES

Ssucp203 11	SSP203	SSUC203-11	11/16 in	30.2 mm 1-3/16 in	127 mm 5 in	95 mm 3-3/4 in	8.15 kN 1832 lbf	3.85 kN 866 lbf	Stainless	P0	YES	YES	Standard
Ssucp203	SSP203	SSUC203	17 mm	30.2 mm 1-3/16 in	127 mm 5 in	95 mm 3-3/4 in	8.15 kN 1832 lbf	3.85 kN 866 lbf	Stainless	P0	YES	YES	Standard